

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/638,427	STEFANI, FRANCO
	Examiner Laura E. Edwards	Art Unit 1734

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the filing of the application as of 8/12/03.
2.  The allowed claim(s) is/are 1-3.
3.  The drawings filed on 12 August 2003 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

5.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - (a)  The translation of the foreign language provisional application has been received.
6.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No. \_\_\_\_\_.
  - (b)  including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)          |
| <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.            |
| <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No. _____. | <input type="checkbox"/> Examiner's Amendment/Comment                             |
| <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
|   | <input type="checkbox"/> Other  |



Laura E. Edwards  
Primary Examiner  
Art Unit: 1734

***Allowable Subject Matter***

Claims 1-3 are allowable because there is no teaching or suggestion in the prior art of a device for supplying glaze in rotary machines for decoration of ceramic tiles, of a type where, on a mobile rest plane on which the tiles are translated in a predetermined direction, the following operate: a matrix-bearing cylinder, mobile in rotation about an axis thereof, which matrix-bearing cylinder is provided with at least an elastically-deformable peripheral part having a smooth external cylindrical surface made of an elastomer material, on which smooth external cylindrical surface a shape is cut and recessed, which shape is a matrix; at least a doctor predisposed for operating in contact with the external surface of the matrix-bearing cylinder; a supply of glaze being contained in a chamber delimited between the at least a doctor and a portion of the external cylindrical surface of the cylinder facing the doctor in a relative zone of contact there-between; wherein it comprises: a guide which is parallel to the doctor, which guide extends for at least an entire length of the at least a doctor and which guide is located superiorly to a part of the at least a doctor which part is destined to come into contact with the external cylindrical surface of the matrix-bearing cylinder; a flexible element which is destined to slide along the guide and to support at least a flexible conduit for supply of glaze, which flexible conduit terminates in a discharge end which is located superiorly to the chamber; the flexible element being partially wound about and partially coupled in rotation on a drive wheel which can rotate in two directions.

***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents disclose the state of the art with respect to tile coating apparatus: Stefani (US 5,849,082) and Schrauwers et al (US 5,476,545).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura E. Edwards whose telephone number is (571) 272-1227. The examiner can normally be reached on M-Th/First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (703) 308-3853. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.



Laura E. Edwards  
Primary Examiner  
Art Unit 1734

Le  
December 12, 2003